

d-COLOR

MF454 - MF554 - MF654

ENVIRONMENTAL INFO

D-COLOR MF454

Power requirements	220÷240 Volt, 50/60 Hz	
Rated Current	9.0 A	
Power consumption (Max.)	2000 W	
Power consumption (Printing)	860W	
Power consumption (Sleep mode)	0,5W	
Power consumption (Power saving mode)	46,4W	
Power consumption (Off mode)	0,01W	
TEC (Typical Electricity Consumption) kWh/week	2.520	
Power consumption in networked stand-by - Ethernet	0,4	
Power consumption in networked stand-by -WiFi (*)	n.a.	
Power consumption in networked stand-by - USB	0,6W	
Power consumption in networked stand-by - Fax (*)	n.a.	
All networks	0,5W	
Networked stand-by mode switch time	15 min.	
Heat emission	50,8 BTU/h	
Noise level in stand-by	44,2 dB(A) Lwa RAL UZ 171 - ISO7779	
Noise level in copying	63,4 dB(A) Lwa RAL UZ 171 - ISO7779	
Ozone emission	0,28mg/h	RAL UZ 171
Benzene emission	0,027mg/h	RAL UZ 171
Fine dust emission	1,58mg/h	RAL UZ 171
Styrene emission	0,898mg/h	RAL UZ 171
TVOC emission	16,621mg/h	RAL UZ 171

D-COLOR MF554

Power requirements	220÷240 Volt, 50/60 Hz	
Rated Current	9.0 A	
Power consumption (Max.)	2000 W	
Power consumption (Printing)	1110W	
Power consumption (Sleep mode)	0,4W	
Power consumption (Power saving mode)	95,7W	
Power consumption (Off mode)	0,01W	
TEC (Typical Electricity Consumption) kWh/week	3.041	
Power consumption in networked stand-by - Ethernet	0,5W	
Power consumption in networked stand-by -WiFi (*)	n.a.	
Power consumption in networked stand-by - USB	0,6W	
Power consumption in networked stand-by - Fax (*)	n.a.	
All networks	0,5W	
Networked stand-by mode switch time	15 min.	
Heat emission	60,9 BTU/h	
Noise level in stand-by	40,0 dB(A) Lwa RAL UZ 171 - ISO7779	
Noise level in copying	64,4 dB(A) Lwa RAL UZ 171 - ISO7779	
Ozone emission	0,11mg/h	RAL UZ 171
Benzene emission	0,003mg/h	RAL UZ 171
Fine dust emission	2,16mg/h	RAL UZ 171
Styrene emission	0,674mg/h	RAL UZ 171
TVOC emission	9,597mg/h	RAL UZ 171

D-COLOR MF654

Power requirements	220÷240 Volt, 50/60 Hz	
Rated Current	9.0 A	
Power consumption (Max.)	2000 W	
Power consumption (Printing)	1120W	
Power consumption (Sleep mode)	0,4W	
Power consumption (Power saving mode)	95,7W	
Power consumption (Off mode)	0,01W	
TEC (Typical Electricity Consumption) kWh/week	3.943	
Power consumption in networked stand-by - Ethernet	0,4W	
Power consumption in networked stand-by -WiFi (*)	n.a.	
Power consumption in networked stand-by - USB	0,6W	
Power consumption in networked stand-by - Fax (*)	n.a.	
All networks	0,4W	
Networked stand-by mode switch time	15 min.	
Heat emission	79,2 BTU/h	
Noise level in stand-by	40,2 dB(A) Lwa RAL UZ 171 - ISO7779	
Noise level in copying	67,0 dB(A) Lwa RAL UZ 171 - ISO7779	
Ozone emission	0,11mg/h	RAL UZ 171
Benzene emission	0,008mg/h	RAL UZ 171
Fine dust emission	2,17mg/h	RAL UZ 171
Styrene emission	0753mg/h	RAL UZ 171
TVOC emission	11,282mg/h	RAL UZ 171