

d-COPIA

d-COPIA 4000MF – 5000 MF - 6000MF

ENVIRONMENTAL INFO

D-COPIA 4000MF

Power requirements	220-240 Volt, 50/60 Hz	
Rated Current	7,2A	
Power consumption (Max.)	1750W	
Power consumption (Printing)	610W	
Power consumption (Sleep mode)	1,0W	
Power consumption (Power saving mode)	40W	
Power consumption (Off mode)	0,1W	
TEC (Typical Electricity Consumption)	1,843	
Power consumption in networked stand-by - Ethernet	1,0W	
Power consumption in networked stand-by - USB	1,6W	
Power consumption in networked stand-by - Fax (*)	n.a.	
All networks	1,5	
Networked stand-by mode switch time	10 min.	
Noise level in stand-by	40.8 dB(A) Lwa RAL UZ 171 - ISO7779	
Noise level in copying	68.6 dB(A) Lwa RAL UZ 171 - ISO7779	
Ozone emission	Lower than the measurement threshold	
Benzene emission	Lower than the measurement threshold	
Fine dust emission	0.20mg/h	RAL UZ 171
Styrene emission	0.016mg/h	RAL UZ 171
TVOC emission	3.900mg/h	RAL UZ 171

D-COPIA 5000MF

Power requirements	220-240 Volt, 50/60 Hz	
Rated Current	7,2A	
Power consumption (Max.)	1750W	
Power consumption (Printing)	710W	
Power consumption (Sleep mode)	1,0W	
Power consumption (Power saving mode)	40W	
Power consumption (Off mode)	0,1W	
TEC (Typical Electricity Consumption)	2,414	
Power consumption in networked stand-by - Ethernet	1,0W	
Power consumption in networked stand-by - USB	1,6W	
Power consumption in networked stand-by - Fax (*)	n.a.	
All networks	1,5	
Networked stand-by mode switch time	10 min.	
Noise level in stand-by	48.5 dB(A) Lwa RAL UZ 171 - ISO7779	
Noise level in copying	70.5 dB(A) Lwa RAL UZ 171 - ISO7779	
Ozone emission	inferiore al limite minimo misurabile	
Benzene emission	inferiore al limite minimo misurabile	
Fine dust emission	0.30mg/h	RAL UZ 171
Styrene emission	0.015mg/h	RAL UZ 171
TVOC emission	4.800mg/h	RAL UZ 171

D-COPIA 6000MF

Power requirements	220-240 Volt, 50/60 Hz	
Rated Current	7,2A	
Power consumption (Max.)	1750W	
Power consumption (Printing)	820W	
Power consumption (Sleep mode)	1,0W	
Power consumption (Power saving mode)	40W	
Power consumption (Off mode)	0,1W	
TEC (Typical Electricity Consumption)	2,414	
Power consumption in networked stand-by - Ethernet	1,0W	
Power consumption in networked stand-by - USB	1,6W	
Power consumption in networked stand-by - Fax (*)	n.a.	
All networks	1,5	
Networked stand-by mode switch time	10 min.	
Noise level in stand-by	49.0 dB(A) Lwa RAL UZ 171 - ISO7779	
Noise level in copying	72.2 dB(A) Lwa RAL UZ 171 - ISO7779	
Ozone emission	Lower than the measurement threshold	
Benzene emission	Lower than the measurement threshold	
Fine dust emission	0.30mg/h	RAL UZ 171
Styrene emission	0.015mg/h	RAL UZ 171
TVOC emission	4.800mg/h	RAL UZ 171