

d-COPIA

4003MF^{plus}/4004MF^{plus}

5004MF/6004MF

ENVIRONMENTAL INFO

D-COPIA 4003MF PLUS

Power requirements	220÷240 Volt, 50/60 Hz
Rated Current	4,4A
Power consumption (Max.)	1130W
Power consumption (Printing)	684 W
Power consumption (Sleep mode)	2,4 W
Power consumption (Power saving mode)	60,6 W
Power consumption (Off mode)	0,5 W or less
TEC (Typical Electricity Consumption) kWh/week	2.265
Power consumption in networked stand-by - Ethernet	3,1 W
Power consumption in networked stand-by	3,1 W
Networked stand-by mode switch time	1 min
Noise level in stand-by	41,2 dB(A) Lwa RAL UZ 171 - ISO7779
Noise level in copying	67,9 dB(A) Lwad RAL UZ 171 - ISO7779
Ozone emission	Below detection Limit
Benzene emission	Below detection Limit
Fine dust emission	Below detection Limit
Styrene emission	0,15 mg/H RAL-UZ 171
TVOC emission	4,40 mg/h RAL UZ 171

D-COPIA 4004MF PLUS

Power requirements	220÷240 Volt, 50/60 Hz
Rated Current	4,4A
Power consumption (Max.)	1130W
Power consumption (Printing)	685 W
Power consumption (Sleep mode)	2,4 W
Power consumption (Power saving mode)	61,6 W
Power consumption (Off mode)	0,5 W or less
TEC (Typical Electricity Consumption) kWh/week	2.269
Power consumption in networked stand-by - Ethernet	3,1 W
Power consumption in networked stand-by	3,1 W
Networked stand-by mode switch time	1 min
Noise level in stand-by	40,7 dB(A) Lwa RAL UZ 171 - ISO7779
Noise level in copying	67,9 dB(A) Lwad RAL UZ 171 - ISO7779
Ozone emission	Below detection Limit
Benzene emission	Below detection Limit
Fine dust emission	Below detection Limit
Styrene emission	0,15 mg/H RAL-UZ 171
TVOC emission	4,40 mg/h RAL UZ 171

D-COPIA 5004MF

Power requirements	220÷240 Volt, 50/60 Hz
Rated Current	5,2A
Power consumption (Max.)	1383W
Power consumption (Printing)	777 W
Power consumption (Sleep mode)	2,4 W
Power consumption (Power saving mode)	70,8 W
Power consumption (Off mode)	0,5 W or less
TEC (Typical Electricity Consumption) kWh/week	2.803
Power consumption in networked stand-by - Ethernet	2,8 W
Power consumption in networked stand-by	2,8 W
Networked stand-by mode switch time	1 min
Noise level in stand-by	37,0 dB(A) Lwa RAL UZ 171 - ISO7779
Noise level in copying	69,0 dB(A) Lwad RAL UZ 171 - ISO7779
Ozone emission	Below detection Limit
Benzene emission	Below detection Limit
Fine dust emission	Below detection Limit
Styrene emission	0,15 mg/H RAL-UZ 171
TVOC emission	4,40 mg/h RAL UZ 171

D-COPIA 6004MF

Power requirements	220÷240 Volt, 50/60 Hz
Rated Current	5,2A
Power consumption (Max.)	1401W
Power consumption (Printing)	803 W
Power consumption (Sleep mode)	2,4 W
Power consumption (Power saving mode)	70,8 W
Power consumption (Off mode)	0,5 W or less
TEC (Typical Electricity Consumption) kWh/week	3,4
Power consumption in networked stand-by - Ethernet	2,8 W
Power consumption in networked stand-by	2,8 W
Networked stand-by mode switch time	1 min
Noise level in stand-by	36,5 dB(A) Lwa RAL UZ 171 - ISO7779
Noise level in copying	70,7 dB(A) Lwad RAL UZ 171 - ISO7779
Ozone emission	Below detection Limit
Benzene emission	0,019 MG/H RAL-UZ 171
Fine dust emission	Below detection Limit
Styrene emission	0,13 mg/H RAL-UZ 171
TVOC emission	5,20 mg/h RAL UZ 171