

d-Color

P2230

ENVIRONMENTAL INFO

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	5.0 A
Power consumption (Max.)	1113 W
Power consumption (Printing)	452 W
Power consumption (sleep mode)	0,6 W
Power consumption (Ready mode)	56 W
Power consumption (Off mode)	0,2 W
TEC (Typical Electricity Consumption) kWh/week	1.4
Power consumption in networked stand-by - Ethernet	0,7 W
Power consumption in networked stand-by - USB	0,7 W
Power consumption in networked stand-by -WiFi	Not measurable
Power consumption in networked stand-by - Fax	NA
All networks	0,8 W
Networked stand-by mode switch time	1
Noise level in stand-by	Not measurable
Noise level in copying	66,1 dB(A) Lwad - RAL-UZ 205
Ozone emission	Below detection limit RAL-UZ 205

Benzene emission	Below detection limit RAL-UZ 205
Fine dust emission	0,34 mg/h RAL-UZ 205
Styrene emission	0,27 mg/h RAL-UZ 205
TVOC emission	3,54 mg/h RAL- UZ 205



Olivetti S.p.A.
Strada Monte Navale, 2/c 10015 IVREA (TO) Italy
www.olivetti.com
Copyright © 2021 Olivetti

All rights reserved

The manufacturer reserves the right to make changes to the product described in this manual at any moment and without giving prior warning.

No part of this document may be copied, reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or other, without obtaining prior written authorisation from the publisher.