

PG

L2540 plus

ENVIRONMENTAL INFO

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	4,2 A
Power consumption (Max.)	974 W
Power consumption (Printing)	620 W
Power consumption (Sleep mode)	0,8 W
Power consumption (Power saving)	8,0 W
Power consumption (Off mode)	0,1 W
TEC (Typical Electricity Consumption) kWh/week	1.1596
Power consumption in networked stand-by - Ethernet	0,8 W
Power consumption in networked stand-by - USB	1,4 W
Power consumption in networked stand-by - Wireless	1,4 W
All networks	1,6 W
Networked stand-by mode switch time	1 min
Noise level in stand-by	non misurabile
Noise level in copying	64,3 dB(A) Lwad RAL UZ 122 - ISO7779/ISO 9296 RAL-UZ 171
Ozone emission	inferiore ai limiti misurabili RAL- UZ 171

Benzene emission	inferiore ai limiti misurabili RAL- UZ 171
Fine dust emission	0,26 mg/h RAL-UZ 171
Styrene emission	inferiore ai limiti misurabili RAL- UZ 171
TVOC emission	1,9 mg/h RAL-UZ 171



Olivetti S.p.A.
Strada Monte Navale, 2/c 10015 IVREA (TO) Italy
www.olivetti.com
Copyright © 2021 Olivetti

All rights reserved

The manufacturer reserves the right to make changes to the product described in this manual at any moment and without giving prior warning.

No part of this document may be copied, reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or other, without obtaining prior written authorisation from the publisher.