

# d-COLOR

MF259 – MF309 – MF369

## ENVIRONMENTAL INFO

---

### D-COLOR MF259

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	8,0 A
Power consumption (Max.)	1580 W
Power consumption (Printing)	460 W
Power consumption (sleep mode)	0,4 W
Power consumption (Ready mode)	24,8 W
Power consumption (Off mode)	0,01 W
TEC (Typical Electricity Consumption) kWh/week	0,9 kWh/week
Power consumption in networked stand-by - Ethernet	0,4 W
Power consumption in networked stand-by - USB	0,4 W
All networks	0,4 W
Networked stand-by mode switch time	15 min.
Noise level in stand-by	30,0 dB(A) Lwad - RAL-UZ 205
Noise level in copying	66,8 dB(A) Lwad - RAL-UZ 205
Ozone emission	0,09 mg/h RAL-UZ 205
Benzene emission	0,001 mg/h RAL-UZ 205
Fine dust emission	0,77 mg/h RAL-UZ 205
Styrene emission	0,40 mg/h RAL-UZ 205
TVOC emission	7,85 mg/h RAL - UZ 205

---

**D-COLOR MF309**

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	8,0 A
Power consumption (Max.)	1580 W
Power consumption (Printing)	450 W
Power consumption (sleep mode)	0,4 W
Power consumption (Ready mode)	24,8 W
Power consumption (Off mode)	0,01 W
TEC (Typical Electricity Consumption) kWh/week	1,2 kWh/week
Power consumption in networked stand-by - Ethernet	0,4 W
Power consumption in networked stand-by - USB	0,4 W
All networks	0,4 W
Networked stand-by mode switch time	15 min.
Noise level in stand-by	30,0 dB(A) Lwad - RAL-UZ 205
Noise level in copying	67,0 dB(A) Lwad - RAL-UZ 205
Ozone emission	0,09 mg/h RAL-UZ 205
Benzene emission	0,001 mg/h RAL-UZ 205
Fine dust emission	0,77 mg/h RAL-UZ 205
Styrene emission	0,40 mg/h RAL-UZ 205
TVOC emission	7,85 mg/h RAL - UZ 205

---

## D-COLOR MF369

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	8,0 A
Power consumption (Max.)	1580 W
Power consumption (Printing)	590 W
Power consumption (sleep mode)	0,4 W
Power consumption (Ready mode)	22,6 W
Power consumption (Off mode)	0,072 W
TEC (Typical Electricity Consumption) kWh/week	1,5 kWh/week
Power consumption in networked stand-by - Ethernet	0,4 W
Power consumption in networked stand-by - USB	0,4 W
All networks	0,4 W
Networked stand-by mode switch time	15 min.
Noise level in stand-by	30,0 dB(A) Lwad - RAL-UZ 205
Noise level in copying	67,1 dB(A) Lwad - RAL-UZ 205
Ozone emission	0,11 mg/h RAL-UZ 205
Benzene emission	0,001 mg/h RAL-UZ 205
Fine dust emission	1,35 mg/h RAL-UZ 205
Styrene emission	0,42 mg/h RAL-UZ 205
TVOC emission	8,81 mg/h RAL - UZ 205