

PG

L2645 L2650 L2655

ENVIRONMENTAL INFO

PG L2645

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	5,4 A
Power consumption (Max.)	1218 W
Power consumption (Printing)	594 W
Power consumption (sleep mode)	0,5 W
Power consumption (Ready mode)	10 W
Power consumption (Off mode)	0,08 W
TEC (Typical Electricity Consumption) kWh/week	0,58 kWh/week
Power consumption in networked stand-by - Ethernet	0,6 W
Power consumption in networked stand-by - USB	0,6 W
All networks	0,7 W
Networked stand-by mode switch time	1 min.
Noise level in stand-by	Not measurble
Noise level in copying	69,3 dB(A) Lwa - ISO 7999 RAL-UZ 205
Ozone emission	Not measurble mg/h RAL-UZ 205
Benzene emission	0,003 mg/h RAL-UZ 205
Fine dust emission	0,37 mg/h RAL-UZ 205
Styrene emission	0,07 mg/h RAL-UZ 205
TVOC emission	5,32 mg/h RAL - UZ 205

PG L2650

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	5,6 A
Power consumption (Max.)	1222 W
Power consumption (Printing)	636 W
Power consumption (sleep mode)	0,5 W
Power consumption (Ready mode)	11 W
Power consumption (Off mode)	0,07 W
TEC (Typical Electricity Consumption) kWh/week	0,66 kWh/week
Power consumption in networked stand-by - Ethernet	0,6 W
Power consumption in networked stand-by - USB	0,6 W
All networks	0,7 W
Networked stand-by mode switch time	1 min.
Noise level in stand-by	Not measurble
Noise level in copying	70,1 dB(A) Lwa - ISO 7999 RAL-UZ 205
Ozone emission	Not measurble mg/h RAL-UZ 205
Benzene emission	0,002 mg/h RAL-UZ 205
Fine dust emission	0,49 mg/h RAL-UZ 205
Styrene emission	0,12 mg/h RAL-UZ 205
TVOC emission	9,23 mg/h RAL - UZ 205

PG L2655

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	5,6 A
Power consumption (Max.)	1238 W
Power consumption (Printing)	675 W
Power consumption (sleep mode)	0,5 W
Power consumption (Ready mode)	11 W
Power consumption (Off mode)	0,07 W
TEC (Typical Electricity Consumption) kWh/week	0,76 kWh/week
Power consumption in networked stand-by - Ethernet	0,6 W
Power consumption in networked stand-by - USB	0,6 W
All networks	0,7 W
Networked stand-by mode switch time	1 min.
Noise level in stand-by	Not measurble
Noise level in copying	71,4 dB(A) Lwa - ISO 7999 RAL-UZ 205
Ozone emission	Not measurble mg/h RAL-UZ 205
Benzene emission	0,002 mg/h RAL-UZ 205
Fine dust emission	0,49 mg/h RAL-UZ 205
Styrene emission	0,12 mg/h RAL-UZ 205
TVOC emission	9,23 mg/h RAL - UZ 205